INDEX TO VOLUME 102

New scientific names are in bold face.

Abbott, J. Richard and Walter S. Judd. Floristic inventory of the Waccasassa Bay State Preserve, Levy County, Florida. 439–513

Acer platanoides 332-354; saccharum 332-354

Adirondacks 250-276

Aegagropilous Desmarestia aculeata from New Hampshire. 202–207 (New England Note)

Algae, marine 202–207

Andes, Verbesina 129-141

Angelo, Ray and David E. Boufford. Atlas of the flora of New England: Monocots except Poaceae and Cyperaceae. 1–119

ANNOUNCEMENT:

New England Botanical Club Graduate Student Research Award 380

Aquatic plants 13–14, 25–32, 61–64, 96–115

Aquilegia canadensis 308-326

Aralia racemosa 308-326

Atlantic coastal plain shrubs 518-522

Atlas of the flora of New England: Monocots except Poaceae and Cyperaceae. 1-119

Atriplex: subgeneric novelties, sectional and subsectional novelties, and new varietal combinations 415-427

Australia, Oleandra 428-438

Bahamas, pollination 392–414 Beaver (*Castor canadensis*) 175–197 Biological invasions 332–354

Birds, pollination reliability, and green flowers in an endemic island shrub, *Pavonia bahamensis* (Malvaceae). 392–414

Boates, J. Sherman 518-522

Bolivia, Genlisea and Utricularia 217-224

BOOK REVIEWS:

Aquatic and Wetland Plants of

Northeastern North America. Volume 1. Pteridophytes, Gymnosperms, and Angiosperms: Dicotyledons; Volume 2. Angiosperms: Monocotyledons. 523–526

Guide to the Algae of New England as Reported in the Literature from 1829–1984, Parts I and II. A, 225–226

Thoreau's Country: Journey through a Transformed Landscape. 227– 229

Boufford, David E. 1–119 Breeding system 392–414 Burk, C. John 154–174

Callery pear 361-364

Callery pear (*Pyrus calleryana*—Rosaceae) naturalized in North Carolina. 361–364 (Note)

Caltha palustris 308-326

Caryophyllaceae 214-216

Centennial Symposium: The dynamics of the New England flora. 241–360

Chenopodiaceae, Atriplex 415-427 Chloromonas spp. 365-372

Chlorophyta 365-372

Clethra alnifolia 518–522

Climate and vegetation 246-247, 248-249

Clonal plant, Maianthemum canadense 142-153

Closing remarks. 355-360

Cogbill, Charles V. Vegetation of the presettlement forests of northern New England and New York. 250–276

Columbia, Verbesina 138-140

Connecticut 1-119

Connecticut River 154-174

Conservation 243-245, 299-331 Corynephorus canescens 208-209

Crow, Garrett E. 217-224

Dawes, Clinton J. 202-207

INDEX TO VOLUME 102

New scientific names are in bold face.

Abbott, J. Richard and Walter S. Judd. Floristic inventory of the Waccasassa Bay State Preserve, Levy County, Florida. 439–513

Acer platanoides 332-354; saccharum 332-354

Adirondacks 250-276

Aegagropilous Desmarestia aculeata from New Hampshire. 202–207 (New England Note)

Algae, marine 202–207

Andes, Verbesina 129-141

Angelo, Ray and David E. Boufford. Atlas of the flora of New England: Monocots except Poaceae and Cyperaceae. 1–119

ANNOUNCEMENT:

New England Botanical Club Graduate Student Research Award 380

Aquatic plants 13–14, 25–32, 61–64, 96–115

Aquilegia canadensis 308-326

Aralia racemosa 308-326

Atlantic coastal plain shrubs 518-522

Atlas of the flora of New England: Monocots except Poaceae and Cyperaceae. 1-119

Atriplex: subgeneric novelties, sectional and subsectional novelties, and new varietal combinations 415-427

Australia, Oleandra 428-438

Bahamas, pollination 392–414 Beaver (*Castor canadensis*) 175–197 Biological invasions 332–354

Birds, pollination reliability, and green flowers in an endemic island shrub, *Pavonia bahamensis* (Malvaceae). 392–414

Boates, J. Sherman 518-522

Bolivia, Genlisea and Utricularia 217-224

BOOK REVIEWS:

Aquatic and Wetland Plants of

Northeastern North America. Volume 1. Pteridophytes, Gymnosperms, and Angiosperms: Dicotyledons; Volume 2. Angiosperms: Monocotyledons. 523–526

Guide to the Algae of New England as Reported in the Literature from 1829–1984, Parts I and II. A, 225–226

Thoreau's Country: Journey through a Transformed Landscape. 227– 229

Boufford, David E. 1–119 Breeding system 392–414 Burk, C. John 154–174

Callery pear 361-364

Callery pear (*Pyrus calleryana*—Rosaceae) naturalized in North Carolina. 361–364 (Note)

Caltha palustris 308-326

Caryophyllaceae 214-216

Centennial Symposium: The dynamics of the New England flora. 241–360

Chenopodiaceae, Atriplex 415-427 Chloromonas spp. 365-372

Chlorophyta 365-372

Clethra alnifolia 518–522

Climate and vegetation 246-247, 248-249

Clonal plant, Maianthemum canadense 142-153

Closing remarks. 355-360

Cogbill, Charles V. Vegetation of the presettlement forests of northern New England and New York. 250–276

Columbia, Verbesina 138-140

Connecticut 1-119

Connecticut River 154-174

Conservation 243-245, 299-331 Corynephorus canescens 208-209

Crow, Garrett E. 217-224

Dawes, Clinton J. 202-207

Dedication 241-242

Desmarestia aculeata 202-207

Distribution maps, New England monocots 33-115; Chloromonas 367

Drayton, Brian and Richard B. Primack. Rates of success in the reintroduction by four methods of several perennial plant species in eastern Massachusetts. 299–331

Drew Forest Preserve, Madison, NJ 332-354

Duval, Brian and Ronald W. Hoham. Snow algae in the northeastern U.S.: Photomicrographs, observations, and distribution of *Chloromonas* spp. (Chlorophyta). 365– 372 (New England Note)

Dwyer, Marc 332-354

Dynamics of the New England flora. The, 241–360

Ecuador, Verbesina 129-138

Edge effects 332-354

Edible fruit, Jaltomata 385-391

Elderkin, Mark F. 518-522

Endangered species 198-201, 210-

Endemic plant, pollination of 392-414

Ferns, Oleandra 428-438

Fifty years of change in *Rhodora* and the New England flora. 277

First records of a European moss, Pseudoscleropodium purum, naturalized in New England. 514–517 (New England Note)

Floodplain vegetation 154–174 Flora of New England, dynamics

241–354; specific discussions 250–276, 280–298

Flora, New England 1–119; swamp forest 154–174; beaver wetlands 175–197; Florida 439–513

Florida 439-513

Floristic inventory of the Waccasassa Bay State Preserve, Levy County, Florida, 439–513

Forest ecology 332-354

Foster, David R. Linking the deep

and recent past to the modern New England landscape. 278-279

Ganger, Michael T. Do reproductive history traits relate to seed maturation in a clonal herb? 142–153

Genlisea guianensis 217-224 Globally imperiled species 198-201 Globally rare species 210-213 Green flowers 392-414

Haines, Arthur. Rediscovery of Symphyotrichum anticostense in the United States. 198–201 (New England Note)

Hammond Woods, Newton, MA 308-319

Hebecladus sinuosus, transferred as Jaltomata sinuosa 385-391

Hedvotis caerulea 308-326

Hehre, Edward J. 202-207

Heliantheae 129-141

Herbaceous flora 154-174

Hevner, Scott J. 385–391

Hill, Nicholas M., J. Sherman Boates, and Mark F. Elderkin. Low catchment area lakes: New records for rare coastal plain shrubs and Utricularia species in Nova Scotia. 518–522 (Note)

Historical ecology 250-276, 280-298

Hoham, Ronald W. 365-372

Holland, Marjorie M., C. John Burk, and David McLain. Long term vegetation dynamics of the lower strata of a western Massachusetts oxbow swamp forest. 154–174

Hudson, W. Donald Jr. Closing remarks, 355–360

Hummingbird pollination 392-414

Illinois 214-216

Immigration and expansion of the New England flora. 280–298

Implications of post-glacial changes in climate and vegetation on the flora of the White Mountains, New Hampshire. 248–249

Introduced species 280-298, 514-

Invasive species 332-354

Island pollination 392-414

Jacobson, George L. Jr. Post-glacial changes in vegetation and climate in northern New England. 246– 247

Jaltomata 385–391; hunzikeri, sp. nov. 385–388; sinuosa, comb. nov. 388–390; dentata 390
Judd, Walter S. 439–513

Kaunzinger, Christina K. 332-354

Leiva G., Segundo 385–391 Lentibulariaceae 217–224

Liliaceae 14-19, 64-78 Lilies 14-19, 64-78

Juncaceae 9-13, 49-60

Linking the deep and recent past to the modern New England landscape. 278–279

Lobelia cardinalis 308-326

Long term vegetation dynamics of the lower strata of a western Massachusetts oxbow swamp forest. 154-174

Lortie, John P. 210-213

Low catchment area lakes: New records for rare coastal plain shrubs and *Utricularia* species in Nova Scotia. 518–522 (Note)

Maianthemum canadense 142–153

Maine 1–119, 198–201, 208–209 Massachusetts 1–119, 154–174,

175–197, 299–331

Mathieson, Arthur C., Edward J. Hehre, and Clinton J. Dawes. Aegagropilous Desmarestia aculeata from New Hampshire. 202–207 (New England Note)

McLain, David 154-174

McMaster, Nancy D. 175-197

Mehrhof, Leslie J. Immigration and expansion of the New England flora. 280–298

Middlesex Fells, Medford, MA 308-319

Miller, Norton, G. First records of a European moss, *Pseudoscleropo*dium purum, naturalized in New England. 514-517 (New England Note)

Mione, Thomas, Segundo Leiva G., Neil R. Smith, and Scott J. Hevner. A new species, a new combination, and new synonymy for South American Jaltomata (Solanaceae). 385–391

Myth of the resilient forest: Case study of the invasive Norway maple (Acer platanoides). The, 332–354

Naturalized species, North Carolina 361–364; New England 514–517 NEBC Meeting News 120–125,

NEBC Meeting News 120-125, 230-236, 373-379, 529-531

Nectar production 392-414

Nesom, Guy L. Callery pear (*Pyrus calleryana*—Rosaceae) naturalized in North Carolina. 361–364 (Note) New Books 527–528

New England flora 1–119, dynamics of 243–354, naturalized species 514–517

New Hampshire 1-119, 202-207, 210-213, 248-249, 250-276

New Jersey 332-354

New records for rare coastal plain shrubs and *Utricularia* species in Nova Scotia. 518–522 (Note)

New records for Scirpus ancistrochaetus in New Hampshire. 210– 213 (New England Note)

New records, Maine 198–201, 208– 209; New Hampshire 210–213; Bolivia 217–224; New England 514–517; Nova Scotia, Canada 518–522

New species of *Verbesina* from the northern Andes (Heliantheae; Asteraceae). Five, 129–141

New species, a new combination, and new synonymy for South American *Jaltomata* (Solanaceae), A. 385-391

New species, South America, Verbesina 129-141; Jaltomata 385-391

New York 250-276

Nomenclatural proposals in *Atriplex* (Chenopodiaceae). 415–427

- Non-indigenous plants 280-298 Non-native plants 280-298; 361-
- 364: 514-517
- North Carolina 361-364 Northeastern U.S. 365-372
- Northern hardwood forest 250-276. 332-354
- Norway maple (Acer platanoides) 332-354
- Notes on the Lentibulariaceae in Bolivia: A new genus record (Genlisea) for the country, with two additional species records in the genus Utricularia. 217-224 (Note)
- Nova Scotia, Canada 518-522
- Oleandra 428-438; neriiformis 430-433; Werneri 433-434; musifolia 434; Wallichii 434-436; undulata 436; Sibbaldii 436-437; key to the Asian, Australian, and Pacific spe-
- cies of Oleandra 429-430 Oleandraceae 428-438
- Opening remarks: Plant conservation globally and locally, 243-245
- Orchidaceae 19-25, 80-96
- Orchids 19-25, 80-96
- Osmorhiza claytonii 308-326
- Pacific, Oleandra 428-438
- Panero, José 129-141
- Pavonia bahamensis 392-414 Phenology of flowering 392-414
- Phytogeography 439-513
- Plant biogeography 250-276
- Plant communities, Florida 439-513 Plant conservation globally and lo
 - cally 243-245
- Pollen/ovule ratio 392-414
- Pollination 392-414
- Population re-establishment 299-331 Post-glacial 246-247, 248-249
- Post-glacial changes in vegetation and climate in northern New England. 246-247
- Potamogetonaceae 25-29, 97-108 Presettlement vegetation 250-276
- Primack, Richard B. 299-331
- Proprietory town 250-276 Pyrus calleryana 361-364
- Rare plants 518-522

- Rates of success in the reintroduction by four methods of several perennial plant species in eastern Massachusetts. 299-331
- Rathcke, Beverly J. Birds, pollination reliability, and green flowers in an endemic island shrub, Pavonia bahamensis (Malvaceae). 392-414
- Raven, Peter H. Opening remarks: Plant conservation globally and locally. 243-245
- Rediscovery of Symphyotrichum anticostense in the United States. 198-201 (New England Note)
- Reintroduction methods 299-331 Reproductive biology, Maianthemum
- canadense 142-153 Reproductive history traits relate to seed maturation in a clonal herb? Do. 142-153
- Restoration ecology 299-331
- Rhode Island 1-119
- Ritter. Nur P. and Garrett E. Crow. Notes on the Lentibulariaceae in Bolivia: A new genus record (Genlisea) for the country, with two additional species records in the genus Utricularia, 217-224 (Note)
- Robert T. McMaster and Nancy D. McMaster. Vascular flora of beaver wetlands in western Massachusetts. 175-197
- Robinson, Harold and José Panero. Five new species of Verbesina from the northern Andes (Heliantheae; Asteraceae). 129-141
- Royte, Joshua L. and John P. Lortie. New records for Scirpus ancistrochaetus in New Hampshire. 210-213 (New England Note)
- Rushes 9-13, 49-60
- Sagina (Caryophyllaceae) 214-216;
- key to the Illinois species 214 Sagina (Caryophyllaceae) in Illinois:
- An update. 214-216 (Note) Sanguinaria canadensis 308-326
- Saracha lobata and S. sordideviola-

cea, synonymy with Jaltomata dentata 385-391

Saxifraga virginiensis 308-326

Scirpus ancistrochaetus 210-213 Seed maturation, Maianthemum can-

adense 142–153 Senecio viscosus 208–209

Smith, Neil R. 385-391

Snow algae in the northeastern U.S.: Photomicrographs, observations, and distribution of *Chloromonas* spp. (Chlorophyta). 365–372 (New England Note)

Solanaceae, *Jaltomata* 385–391 South America, *Verbesina* 129–141;

Jaltomata 385-391 Southeast Asia, Oleandra 428-438

Spear, Ray W. Implications of postglacial changes in climate and vegetation on the flora of the White Mountains, New Hampshire. 248–249

Statement of ownership 128 Succession 332-354

Surveyor's records 250-276

Swamp forest 154-174
Symphyotrichum anticostense 198-

Symposium: The dynamics of the New England flora 241–360

Systematic notes on the Old World fern genus *Oleandra*. 428–438

Tryon, Rolla. Systematic notes on the Old World fern genus *Olean*dra. 428–438

Tucker, Gordon C. Sagina (Caryophyllaceae) in Illinois: An update. 214–216 (Note)

Two more weeds in Maine. 208-209 (New England Note)

Utricularia nana 217-223; oliveriana 217-224; known species in Bolivia 220-221; radiata 518-522; purpurea 518-522

Vascular flora of beaver wetlands in western Massachusetts. 175–197 Vegetation dynamics 154–174

Vegetation of the presettlement forests of northern New England and New York. 250-276

Verbesina 129–141; biserrata, sp. nov. 129–131; clarkae, sp. nov. 131–134; maldonadoensis, sp. nov. 134–136; pichinchensis, sp. nov. 136–138; perijaensis, sp. nov. 138–140

Vermont 1-119, 250-276

Waccasassa Bay State Preserve 439– 513; discussion of communities 439–487; list of vascular plants 487–508; list of charophytes, liverworts, mosses, and macrolichens 508–513

Wagner, Warren H. Jr. Fifty years of change in *Rhodora* and the New England flora. 277

Wagner, Warren Herbert Jr., dedication 241–242

Webb, Sara L., Marc Dwyer, Christina K. Kaunzinger, and Peter H. Wyckoff. The myth of the resilient forest: Case study of the invasive Norway maple (Acer platanoides). 332–354

Welsh, Stanley L. Nomenclatural proposals in Atriplex (Chenopodiaceae). 415–427

Wetlands, forested 154-174; beaver 175-197

White Mountains, NH 248-249

Witness tree 250-276

Wyckoff, Peter H. 332-354

Zika, Peter F. Two more weeds in Maine. 208–209 (New England Note)

